



检测报告

152512050049

TEST REPORT

报告编号

YNZKBG20231116002-3

Report No

项目名称

华新水泥（昭通）有限公司 2023 年第四季度自行监测

Name

委托单位

华新水泥（昭通）有限公司

Client

项目地址

昭通市昭阳区北闸镇塘房村

Address

样品类别

水和废水

Sample

Type

编制:

Compiled by

校核:

Proofread check

审核:

Inspected by

签发:

Approved by

签发日期:

Approved Date

杨林

张

马

王

2023年11月6日

Y 11 D

云南中科检测技术有限公司
Yunnan Sino-sci Testing Tech Co, LTD

报告日期 2023 年 11 月 5 日

Report Date 2023 年 11 月 5 日

声 明

Introduction

1. 报告无“CMA 资质认定章”和检测单位“检测专用章”及“骑缝章”无效。

This report no seal on the perforation and CMA qualification certification seal and special seal for testing is invalid.

2. 报告无编制人、审核人、签发人签名无效，报告经涂改无效。

This report without prepare people signature, audit signature, approve signature is invalid. The report by alter is invalid.

3. 报告未经本机构批准，不得复制（全文复制除外）本报告或证书。

This report or certificate can't be copied (except in full) without the approval of the agency.

4. 对委托人送检的样品进行检测的，检测报告对样品所检项目的符合性情况负责，送样样品的真实性由委托人负责；除委托人特别声明并支付样品管理费以外，所有样品超过备注或技术规范要求的有效性均不再留样。

If the sample submitted by the client is tested, the report shall be responsible for the conformity of the item tested by the sample and the client shall be responsible for the representativeness and authenticity of the sample submitted; Unless the entrusting party makes a special statement and pays the sample management fee, the timeliness of all samples exceeding the requirements of standards or technical specifications will not be retained.

5. 委托方对提供的检测相关信息的完整性、真实性、准确性负责。本公司实施的所有检测行为均以委托方提供的信息为前提，当委托方提供的信息可能影响检测结果时，本公司不承担由此引起的任何责任。

The entrusting party shall be responsible for the completeness, authenticity and accuracy of the test related information provided. All testing behavior and related operations provided by our company are based on the information provided by the entrusting party. When the information provided by the entrusting party may affect the effectiveness of the results, our company will not assume any responsibilities arising therefrom.

6. 报告未经检测单位同意不得用于广告、商业宣传等商业行为。

This report without the consent of the testing organization shall not be used for advertising, advertisement or other business practices.

7. 委托方对检测报告如有任何异议，请于收到报告之日起十五日内向本公司提出申诉；逾期不予受理。

If the client has any objection to the test report, please apply to the company within 15 days from the date of receiving the report. If the client fails to apply within the time limit, it shall be deemed to have approved the test report.

地址：云南省昆明市经济技术开发区星耀路39号新奥产业园3幢3层厂房
Address: The 3rd floor of the Newo Industrial Park Building, No. 39, Xingyao Road, Kunming Economic and Technological Development Zone, Yunnan Province.

邮编：650500

电话：0871-6385 0008

传真：0871-6380 0005

电子邮箱：styn@kcon1.com

网址：http://www.kcon1.com

客服电话：0871-63852008

报告编号: YNZKRG20231116002-3
ReportNo

1 企业生产情况

表 1 企业工况

生产订单编号	主要产品名称	实际生产能力	监测期间	监测期间运行情况	运行负荷
			生产能力		
YNZKSC 20231007016	熟料	103.6 万吨/年	3300 吨/天	正常	98.7%
	混凝土	100 万立方/年	2700 立方/天	正常	83.7%



网址: http://www.broas.com/ 邮箱: csc@broas.com 咨询电话: 0871-63852008

报告编号: YNZKBG20231116002-3
ReportNo

第 2 页 共 7 页
page of

broas 博瑞思

检测信息

表 2 检测信息

客户基本情况									
委托单位信息		单位名称		华新水泥（昭通）有限公司					
		通讯地址		昭通市昭阳区北闸镇塘房村					
		联系人		王云国		联系电话		13638813737	
受检单位信息		单位名称		华新水泥（昭通）有限公司					
		通讯地址		昭通市昭阳区北闸镇塘房村					
		联系人		王云国		联系电话		13638813737	
样品基本情况									
样品名称	样品位置	采样频次		采样人员	采样时间	收样人员	收样时间	分析时间	样品状态描述
		天数	次/天						
地下水	W1: 地下水监测井 1# (E103°47'38.00", N27°26'55"55")	1	3	王发贵	2023.10.27	何尧	2023.10.28	2023.10.28-2023.11.01	样品均为淡黄色、无气味、无浮油、无浑浊。
	W2: 地下水监测井 2# (E103°47'48.59", N27°26'15.35")	1	3	王虹程	2023.10.27	何尧	2023.10.28	2023.10.28-2023.11.01	样品均为淡黄色、无气味、无浮油、无浑浊。

3.生产工单编号、检测类别、项目、方法、设备

生产工单编号、检测类别、项目、方法、设备一览表

NO.1

生产工单编号	检测类别	检测项目	检测方法	检测仪器设备	仪器编号	分析人员	检出限/最低检测质量浓度
		pH	HJ 1147-2020 水质 pH 值的测定 电极法	PHBJ-260 便携式 PH 计	YNZK-XC494	王发贵 王虹程	—
		氨(以 N)	GB/T 5750.5-2023 (11.1) 生活饮用水标准检验方法 第 5 部分: 无机非金属指标 纳氏试剂分光光度法	SP-757 紫外可见分光光度计	YNZK-FX031	方梦迪	0.02mg/L
		铅	GB 5009-2014 水质 65 种元素的测定 电感耦合等离子体质谱法	ICAP RQ ICP-MS	YNZK-FX149	郭习林	0.09μg/L 0.05μg/L
		高锰酸盐指数	GB 5750.7-2023 (4.1) 生活饮用水标准检验方法 第 7 部分: 有机物综合指标 酸性高锰酸钾滴定法	50mL 滴定管	CD-50-004	王蕊	0.05mg/L
		汞	GB/T 5750.6-2023 (11.1) 生活饮用水标准检验方法 第 6 部分: 金属和类金属指标 原子荧光法	AFS-8520 双道原子荧光分光光度计	YNZK-FX084	刘晨	0.1μg/L
		溶解性总固体	GB/T 5750.4-2023 (11.1) 生活饮用水标准检验方法 第 4 部分: 感官性状和物理指标 称量法	TE1004 电子天平	YNZK-FX086	康道娜	—
		硫酸盐	GB 5750.5-2023 (4.1) 生活饮用水标准检验方法 第 5 部分: 无机非金属指标 硫酸钡比浊法	TX 新世纪 紫外可见分光光度计	YNZK-FX217	杨传健	5mg/L

生产订单编号	检测类别	检测项目	检测方法	检测和分析设备	仪器编号	分析人员	检出限/最低检测质量浓度
YNZKSC20231007016	水和废水	氯化物	GB/T 5750.5-2023 (5.1) 生活饮用水标准检验方法 第 5 部分: 无机非金属指标 汞砷汞量法	50mL 滴定管	CD-50-005	王蕊	1.0mg/L
		亚硝酸盐(以N计)	GB/T 5750.5-2023 (12.1) 生活饮用水标准检验方法 第 5 部分: 无机非金属指标 重氮偶合分光光度法	SP-752 紫外可见分光光度计	YNZK-FX007	何平良	0.001mg/L
		硝酸盐(以N计)	GB/T 5750.5-2023 (8.2) 生活饮用水标准检验方法 第 5 部分: 无机非金属指标 紫外分光光度法	UV-752 新世纪 紫外可见分光光度计	YNZK-FX217	王蕊	0.2mg/L
		总大肠菌群	GB/T 5750.12-2023 (5.1) 生活饮用水标准检验方法 第 12 部分: 微生物指标 多管发酵法	DHP-9162 电热恒温培养箱 LRH-150 智能生化培养箱	YNZK-FX096 YNZK-FX093	方梦迪	——
		菌落总数	GB/T 5750.12-2023 (4.1) 生活饮用水标准检验方法 第 12 部分: 微生物指标 平板计数法	DHP-9162 电热恒温培养箱	YNZK-FX096	方梦迪	——

4. 检测结果

表 4 地下水检测 results 表

NO.1

检测点位		W1: 地下水监测井 1#			平均值	执行 GB/T 14848-2017 《地下水质量标准》 II 类标准	
采样时间/	样品编号	2023.10.27				标准限值	评价
检测项目 (单位)	YNZKSC	YNZKSC	YNZKSC	20231007016-W001			
pH (无量纲)	8.1	7.9	8.0	7.9~8.1	6.5≤pH≤8.5	达标	
高锰酸盐指数(以 O ₂ 计)(mg/L)	1.56	1.49	1.57	1.54	2.0	达标	
汞 (mg/L)	<1×10 ⁻⁴	<1×10 ⁻⁴	<1×10 ⁻⁴	<1×10 ⁻⁴	0.0001	达标	
溶解性总固体 (mg/L)	455	432	486	458	500	达标	
硫酸盐 (mg/L)	25	26	26	26	150	达标	
氯化物 (mg/L)	53.1	52.6	52.4	52.7	150	达标	
亚硝酸盐(以 N 计) (mg/L)	0.007	0.006	0.008	0.007	0.02	达标	
硝酸盐(以 N 计) (mg/L)	0.3	0.7	0.8	0.8	5.0	达标	
总大肠菌群 (MPN/100mL)	未检出	未检出	未检出	未检出	3.0	达标	
菌落总数 (CFU/mL)	23	22	19	21	100	达标	
氨(以 N 计) (mg/L)	0.07	0.07	0.08	0.07	0.10	达标	
镉 (mg/L)	5×10 ⁻⁵	5×10 ⁻⁵	5×10 ⁻⁵	5×10 ⁻⁵	0.001	达标	
铜 (mg/L)	1.0×10 ⁻⁴	1.0×10 ⁻⁴	1.3×10 ⁻⁴	1.3×10 ⁻⁴	0.005	达标	
1. 采样方式: 瞬时采样;							
2. 检出限: 表示检测结果的最低质量浓度; 3. 检出限以下表示检测质量浓度;							
4. 检测标准及达标评价结论不在本公司资质认定范围内。							

网址: http://www.msclab.com/ 客服热线: 0871-63852008

报告编号: YNZKRG20231116002-3
Report No.

第 6 页 共 7 页
page of

broos 博瑞思

检测占位				执行 GB/T 14848-2017			
W23, 地下水监测站 2#							
采样时间		2023.10.27			平均值	《地下水质量标准》 II 类标准	
样品编号		YNZKSC	YNZKSC	YNZKSC		标准限值	评价
检测项目、(单位)		20231007016-W004	20231007016-W005	20231007016-W006			
pH (无量纲)		7.7	7.8	7.7	7.7~7.8	6.5≤pH≤8.5	达标
硫酸盐 (mg/L)		19	19	18	19	150	达标
汞 (mg/L)		<1×10 ⁻⁴	<1×10 ⁻⁴	<1×10 ⁻⁴	<1×10 ⁻⁴	0.0001	达标
溶解性总固体 (mg/L)		310	336	296	314	500	达标
氯化物 (mg/L)		77.6	78.2	78	79	150	达标
亚硝酸盐 (以 N 计) (mg/L)		0.001	0.001	0.002	0.001	0.10	达标
硝酸盐 (以 N 计) (mg/L)		2.6	2.5	2.6	2.6	5.0	达标
总大肠菌群 (MPN/100mL)		未检出	未检出	未检出	未检出	3.0	达标
菌落总数 (CFU/mL)		31	30	34	32	100	达标
氨 (以 N 计) (mg/L)		0.07	0.07	0.07	0.07	0.10	达标
锑 (mg/L)		5.1×10 ⁻⁵	5.1×10 ⁻⁵	5×10 ⁻⁵	5×10 ⁻⁵	0.001	达标
砷 (mg/L)		5.5×10 ⁻⁴	5.5×10 ⁻⁴	5.4×10 ⁻⁴	5.3×10 ⁻⁴	0.005	达标
备注: 1. 采样方式: 瞬时采样; 2. “检出限”表示检测结果低于方法检出限; 3. “<+最低检测质量浓度”表示检测结果低于最低检测质量浓度; 4. 执行标准及达标评价结论不在本公司资质认定范围内。							

报告结束

报告编号: YNZKB20231116002-3
ReportNo

附图:

华新水泥（昭通）有限公司 2023 年第四季度自行监测点位图



