






GR108-24000004




手机扫描仪
图片转Word





界下风向监控点O3(六九(右南))	<10	<10	15	15	达标				
界下风向监控点O4	12	<10	<10	12	/	达标			
表示低于方法检出限；									注：1、<



手机扫描仪
图片转Word





监测项目	全程序空白	检出限	评价
------	-------	-----	----

Figure 1 is a schematic representation of the experimental design. It is divided into three main sections: Pretest, Experiment 1, and Experiment 2. Each section shows a sequence of Stimulus and Response. In the Pretest, the stimulus is a word, and the response is a choice between 'Yes' and 'No'. In Experiment 1, the stimulus is a word, and the response is a choice between 'Yes' and 'No'. In Experiment 2, the stimulus is a word, and the response is a choice between 'Yes' and 'No'.

6. 项目施工过程中，如发生质量、安全事故，应立即停止施工，并及时向有关部门报告，同时采取有效措施，防止事故扩大，保护现场，配合有关部门调查处理。

[illegible][illegible]A screenshot from the video game 'The Legend of Zelda: Breath of the Wild'. The character Link is standing on a grassy field, looking towards a large, dark, rectangular object in the background. The object has a checkered pattern on its top surface. The scene is set in a rural area with rolling hills and a clear sky.




北

1002

1003

03



手机扫描仪
图片转Word





附图 2：现场检测照片



点 Q2

丁界下区同帮修点 Q1

丁界下区同监控

