




AIT2500206

2025

K2



1

2

3

4

5

6

7

8 1 /

9

18

B

430056

027-84893621

2025K2

1.

913A13A%

2.

13A		9%32/%	932/%
			AIACD
		%	%

3.

		A68%-%

		A
		6 8 %- %

% 3

4.2

			/	/
		HJ 836-2017	: 0 - / CE 2 6 -1	1.0mg/m ³
		6 8 -		2mg/m ³
		6 8 -		(mg/m ³ (mg/m ³
9 3 2/ %		GB/T 16157-1996		0~25%

CEMS

-

6.

- K2 422EP1/DA079 CEMS

		mg/m ³		mg/m ³		%	
		CEMS		CEMS		CEMS	
%	11:29-11:34	0.1	ND	32.5	35	11.33	11.9
	11:38-11:43	0.2	2	74.8	77	11.49	12.0
	11:44-11:49	0.2	2	60.3	57	11.07	11.7
	11:50-11:55	0.1	2	64.9	72	11.72	12.2
	11:57-12:02	0.1	2	49.9	54	11.26	11.9
	12:08-12:13	0.1	3	47.7	50	11.52	12.2
	12:16-12:21	0.1	3	50.7	55	11.06	11.6
	12:22-12:27	0.1	3	45.5	50	11.31	11.9
	12:28-12:33	0.1	3	75.3	76	10.84	11.5
		-2.1mg/m ³		-4.6%		5.5%	



6-2 K2 472EP2/DA076 CEMS

mg/m³

m/s